



Exam 6

Participant ID #:

Acrostic:

Phlebotomist ID:

Date:

/

/

Month

Day

Year

QC ID:

Urine / Phlebotomy

PARTICIPANT QUESTIONS

	Yes	No	Don't know
1. ¿Sangra o le aparecen morados o moretones con facilidad?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. ¿Le han dicho alguna vez que tiene un trastorno de la coagulación de la sangre?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. ¿Alguna vez se desmayó mientras le extraían sangre?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. ¿Padece de diabetes tratada con insulina o hipoglucemiantes orales?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

PROCEDURE

5. Was urine sample filled?

☐ Yes → Skip to #6

☐ No →

☐ Partial
└─→ mL

Why was urine sample not taken?

☐ Participant unable to void

☐ Refused

☐ Other:

6. Time at start of venipuncture:

:

Hr

Min

☐ AM

☐ PM

7. Was any blood drawn?

☐ Yes, full sample

☐ Yes, partial sample

☐ No, refused

☐ No, hard to stick

☐ No, other:

8. Elapsed time until
tourniquet released:

seconds

(120-seconds optimum)

9. Time at end of
venipuncture:

:

Hr

Min

☐ AM

☐ PM



Exam 6

Urine / Phlebotomy

10. Quality of venipuncture: ☐ Traumatic ☐ Clean



Mark all
that apply

- | | | |
|--------------------------------------|--|--|
| <input type="radio"/> Vein collapsed | <input type="radio"/> Excessive duration of draw | <input type="radio"/> Vein hard to get at |
| <input type="radio"/> Hematoma | <input type="radio"/> Multiple sticks | <input type="radio"/> Leakage at venipuncture site |

If tube is not full, but is at least half full, please indicate "Partial" and enter the volume to the nearest mL.

11. Blood volume per tube:

Filled

Specify
volume (mL):
min 1/2 full

Exam 6:

Yes No Partial

a. Serum 10 mL ☐ ☐ ☐

b. EDTA 10 mL ☐ ☐ ☐

c. CPT 8 mL ☐ ☐ ☐

d. CPT 8 mL ☐ ☐ ☐

e. Serum 10 mL ☐ ☐ ☐

f. EDTA 10 mL ☐ ☐ ☐

g. CPT 8 mL ☐ ☐ ☐

h. CPT 8 mL ☐ ☐ ☐

i. EDTA CBC/Diff 4 mL ☐ ☐ ☐

j. Paxgene 2.5 mL ☐ ☐ ☐

VitD 6a:

k. Serum 7.5 mL ☐ ☐ ☐

Include if consented to vitD study

l. Paxgene 2.5 mL ☐ ☐ ☐

Include if consented to vitD study



Urine / Phlebotomy

12. Participant selected as a quality control subject?
(Participant ID ends in 6)
- | <i>(Blood)</i> | <i>(Urine)</i> |
|---|---|
| <input type="radio"/> NO | <input type="radio"/> NO |
| <input type="radio"/> YES | <input type="radio"/> YES |
| <input type="radio"/> YES, but not enough
blood for QC | <input type="radio"/> YES, but not enough
urine for QC |

Comments: _____
