



## Exam 6

Participant ID #:

Acrostic:

Phlebotomist ID:

Date:

Month

Day

Year

QC ID:

## Urine / Phlebotomy

### PARTICIPANT QUESTIONS

	Yes	No	Don't know
1. ¿Sangra o le aparecen morados o moretones con facilidad?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. ¿Le han dicho alguna vez que tiene un trastorno de la coagulación de la sangre?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. ¿Alguna vez se desmayó mientras le extraían sangre?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. ¿Padece de diabetes tratada con insulina o hipoglucemiantes orales?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

### PROCEDURE

5. Was urine sample filled?

☐ Yes → Skip to #6

☐ No →

☐ Partial  
└─→  mL

Why was urine sample not taken?

☐ Participant unable to void

☐ Refused

☐ Other:

6. Time at start of venipuncture:

:

Hr

Min

☐ AM

☐ PM

7. Was any blood drawn?

☐ Yes, full sample

☐ Yes, partial sample

☐ No, refused

☐ No, hard to stick

☐ No, other:

8. Elapsed time until  
tourniquet released:

seconds

(120-seconds optimum)

9. Time at end of  
venipuncture:

:

Hr

Min

☐ AM

☐ PM



## Exam 6

### Urine / Phlebotomy

10. Quality of venipuncture: ☐ Traumatic ☐ Clean



Mark all  
that apply

☐ Vein collapsed

☐ Excessive duration of draw

☐ Vein hard to get at

☐ Hematoma

☐ Multiple sticks

☐ Leakage at venipuncture site

If tube is not full, but is at least half full, please indicate "Partial" and enter the volume to the nearest mL.

11. Blood volume per tube:

**Filled**

Specify  
volume (mL):  
*min 1/2 full*

Exam 6:

Yes

No

Partial

a. Serum 10 mL

☐

☐

☐

b. EDTA 10 mL

☐

☐

☐

c. CPT 8 mL

☐

☐

☐

d. CPT 8 mL

☐

☐

☐

e. Serum 10 mL

☐

☐

☐

f. EDTA 10 mL

☐

☐

☐

g. CPT 8 mL

☐

☐

☐

h. CPT 8 mL

☐

☐

☐

i. EDTA CBC/Diff 4 mL

☐

☐

☐

j. Paxgene 2.5 mL

☐

☐

☐

VitD 6a:

k. Serum 7.5 mL

☐

☐

☐

Include if consented to vitD study

l. Paxgene 2.5 mL

☐

☐

☐

Include if consented to vitD study

(continued)



## Exam 6

### Urine / Phlebotomy

11. Blood volume per tube:

	Filled			Specify volume (mL): <i>min 1/2 full</i>	
<i>PET exam:</i>	Yes	No	Partial		
m. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
n. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
o. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
p. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
q. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
r. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>

12. Participant selected as a quality control subject?

*(Participant ID ends in 6)*

**(Blood)**

- ☐ NO  
☐ YES  
☐ YES, but not enough  
blood for QC

**(Urine)**

- ☐ NO  
☐ YES  
☐ YES, but not enough  
urine for QC

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_